

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2719	(prefetch or pre-fetch\$3) same (queue or buffer or FIFO)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 07:52
S2	321	(711/137).CCLS.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/11 10:10
S3	129	((prefetch or pre-fetch\$3) same (queue or buffer or FIFO)) and ((711/137).CCLS.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 10:10
S4	58	(prefetch or pre-fetch\$3) same (queue or buffer or FIFO) same (threshold or watermark)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 10:29
S5	53	((prefetch or pre-fetch\$3) near10 (queue or buffer or FIFO)) same (threshold or watermark)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 10:51
S6	45	(prefetch or pre-fetch\$3) same ((queue or buffer or FIFO) near10 (threshold or watermark))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 13:19
S7	321	(711/137).CCLS.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/11 13:19
S8	675	(FIFO or queue) near10 (prefetch or pre-fetch)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 13:44
S9	84	((FIFO or queue) near10 (prefetch or pre-fetch)) same (watermark or threshold or full)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 16:15
S10	4678	(queue or FIFO) near5 (watermark or threshold or full)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 13:47
S11	73	((((FIFO or queue) near10 (prefetch or pre-fetch)) same (watermark or threshold or full)) and ((queue or FIFO) near5 (watermark or threshold or full))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 13:50

S12	675	((FIFO or queue) near10 (prefetch or pre-fetch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 16:15
S13	727	((FIFO or queue) with (prefetch or pre-fetch))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 16:15
S14	87	((FIFO or queue) with (prefetch or pre-fetch) adj3 data)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 16:18
S15	18	((FIFO or queue) with (prefetch or pre-fetch) adj3 data)) and (threshold or watermark)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/11 16:18
S16	407	((prefetch or pre-fetch\$3) adj3 (queue or FIFO))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 07:53
S17	3	((prefetch or pre-fetch\$3) adj3 (queue or FIFO)) same (threshold or watermark)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 07:58
S18	2	((prefetch or pre-fetch\$3) adj3 (data or information)) same (FIFO or queue) same (threshold or watermark)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 08:07
S19	5	(prefetch or pre-fetch\$3) same (cache adj queue)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 08:40
S20	78	(prefetch or pre-fetch\$3) same (cache adj3 queue)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 08:40
S21	3	(prefetch or pre-fetch\$3) same (cache adj3 queue) same (watermark or threshold)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 08:42
S22	4	(prefetch or pre-fetch\$3) same (cache adj3 queue) same (watermark or threshold or level)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 15:30
S23	19744	(buffer or cache or FIFO or queue) near10 (threshold or watermark or full)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 15:32

S24	203	(prefetch adj3 cache) and ((buffer or cache or FIFO or queue) near10 (threshold or watermark or full))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 15:33
S25	321	(711/137).CCLS.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/15 15:33
S26	0	("001and3").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/04/15 15:33
S27	126	((buffer or cache or FIFO or queue) near10 (threshold or watermark or full)) and ((711/137).CCLS.)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 15:34
S28	87	((((buffer or cache or FIFO or queue) near10 (threshold or watermark or full)) and ((711/137).CCLS.)) and prefetch\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 15:34
S29	55	((((buffer or cache or FIFO or queue) near10 (threshold or watermark or full)) and ((711/137).CCLS.)) and (prefetch\$3 adj3 data)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 15:42
S30	396	FIFO near5 threshold	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 15:49
S31	18	(FIFO near5 threshold) and prefetch	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 16:18
S32	550	FIFO with threshold	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 15:48
S33	18	(FIFO with threshold) and prefetch	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 15:48
S34	3880	(buffer or FIFO) near5 (threshold or watermark)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 15:55
S35	6	((711/137).CCLS.) and ((buffer or FIFO) near5 (threshold or watermark))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 15:57

S36	573	(FIFO or buffer or queue) near5 (predetermined adj3 level)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 16:06
S37	533	(FIFO or buffer) near5 (predetermined adj3 level)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 16:00
S38	0	((711/137).CCLS.) and ((FIFO or buffer or queue) near5 (predetermined adj3 level))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 16:01
S39	4	prefetch and ((FIFO or buffer or queue) near5 (predetermined adj3 level))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 16:01
S40	337	(FIFO or buffer or queue) near5 (predetermined adj level)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 16:07
S41	2	((FIFO or buffer or queue) near5 (predetermined adj level)) and prefetch\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 16:07
S42	440	(FIFO) near5 ((predetermined adj level) or threshold or watermark)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 16:09
S43	15485	((FIFO) near5 ((predetermined adj level) or threshold or watermark)) ame prefetch\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 16:09
S44	1	((FIFO) near5 ((predetermined adj level) or threshold or watermark)) same prefetch\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 16:09
S45	90	(prefetch near5 (buffer or FIFO)) with (watermark or full or threshold)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 16:20
S46	65	(prefetch near5 (buffer or FIFO)) near5 (watermark or full or threshold)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/15 16:20
S47	16534	below near5 (predetermined adj level)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2002/04/16 07:30

S48	735	(711/137).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 14:37
S49	108	(prefetch\$3 or pre-fetch\$3 or preload\$3 or pre-load\$3 or pre-read\$3 or pre-read\$3 or pre-retriev\$3) with (data near2 queue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 15:46
S50	46	S49 and @pd<="19990811"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 15:04
S51	212	(prefetch\$3 or pre-fetch\$3 or preload\$3 or pre-load\$3 or pre-read\$3 or pre-read\$3 or pre-retriev\$3) near5 data near5 queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 15:31
S52	105	S51 and @pd<="19990811"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 15:31
S53	355	(prefetch\$3 or pre-fetch\$3 or preload\$3 or pre-load\$3 or pre-read\$3 or pre-read\$3 or pre-retriev\$3) near5 data near5 (queue or FIFO or LIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 15:31
S54	167	S53 and @pd<="19990811"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 15:32
S55	8717	data adj (queue or FIFO or LIFO)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 15:33
S56	13	S48 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 15:45
S57	417	reduc\$3 near5 bus near5 latency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 15:46

S58	5	S49 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 15:46
S59	728068	scheduler same (read nar5 packet\$1) smae track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:01
S60	0	scheduler same (read near5 packet\$1) same track\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:02
S61	668	(tag\$4 or mark\$3) with purg\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:03
S62	47	((tag\$4 or mark\$3) near5 (entr\$3)) with purg\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:04
S63	0	((tag\$4 or mark\$3) near5 (entr\$3)) with purg\$3 with clear	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:03
S64	19	S62 and @pd<="19990811"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:10
S65	36	(cache near5 miss\$3) with purg\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:10
S66	18	S65 and @pd<="19990811"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 16:10
S67	805	(711/133).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:46

S68	1686	(711/154).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:46
S69	420	(711/159).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:46
S70	738	(711/137).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:46
S71	1035	(707/204).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:46
S72	392	(711/213).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:46
S73	212	(prefetch\$3 or pre-fetch\$3 or preload\$3 or pre-load\$3 or preread\$3 or pre-read\$3 or pre-retriev\$3) near5 data near5 queue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:47
S74	2	S67 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:47
S75	4	S68 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:47
S76	1	S69 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:47
S77	31	S70 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:47

S78	0	S71 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:47
S79	13	S72 and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 09:47